

Tengine derleme

Gerekli paketler

```
apt install git build-essential libjemalloc-dev libatomic-ops-dev libpcre3 libpcre3-dev  
zlib1g zlib1g-dev libssl-dev libgd-dev libgeoip-dev
```

extra modüller

```
https://github.com/vozlt/nginx-module-vts.git  
https://github.com/FRiCKLE/nginx_cache_purge.git  
https://github.com/yaoweibin/nginx_upstream_check_module.git  
https://github.com/GetPageSpeed/nginx_security_headers.git  
https://github.com/openresty/headers-more-nginx-module.git
```

Compile

```
#!/bin/bash  
./configure \  
--with-poll_module \  
--with-threads \  
--with-file-aio \  
--with-http_ssl_module \  
--with-http_v2_module \  
--with-http_realip_module \  
--with-http_image_filter_module \  
--with-jemalloc \  
--with-libatomic \  
--with-http_sub_module \  
--with-http_flv_module \  
--with-http_mp4_module \  
--with-http_stub_status_module \  

```

```
--with-mail_ssl_module \  
--with-debug \  
--with-stream \  
--without-http_fastcgi_module \  
--without-http_uwsgi_module \  
--without-http_scgi_module \  
--add-module=/var/nginx-module-vts \  
--add-module=/var/nginx_cache_purge \  
--add-module=/var/nginx_upstream_check_module \  
--add-module=/var/nginx_security_headers \  
--add-module=/var/headers-more-nginx-module \  
--add-module=/var/tengine-2.3.2/modules/nginx_http_upstream_vnswrr_module \  
--add-module=/var/tengine-2.3.2/modules/nginx_http_upstream_session_sticky_module \  
--user=nginx \  
--prefix=/etc/nginx \  
--sbin-path=/usr/sbin/nginx \  
--conf-path=/etc/nginx/nginx.conf \  
--pid-path=/var/run/nginx.pid \  
--http-log-path=/var/log/nginx/access.log \  
--error-log-path=/var/log/nginx/error.log \  
--with-http_image_filter_module=dynamic \  
--with-http_geoip_module=dynamic \  
--with-mail=dynamic \  
--http-client-body-temp-path=/tmp/client-body-temp \  
--http-proxy-temp-path=/tmp/proxy-temp \  

```

make && make install

unit file

```
[Unit]  
Description=A high performance web server and a reverse proxy server  
After=network.target  
[Service]
```

```
Type=forking
PIDFile=/var/run/nginx.pid
ExecStartPre=/usr/sbin/nginx -t -q -g 'daemon on; master_process on;'
ExecStart=/usr/sbin/nginx -g 'daemon on; master_process on;'
ExecReload=/usr/sbin/nginx -g 'daemon on; master_process on;' -s reload
ExecStop=-/sbin/start-stop-daemon --quiet --stop --retry QUIT/5 --pidfile /var/run/nginx.pid
TimeoutStopSec=5
KillMode=mixed
LimitNOFILE=1048576
LimitNPROC=1048576
Restart=on-failure
RestartSec=10s
[Install]
WantedBy=multi-user.target[Unit]
Description=A high performance web server and a reverse proxy server
After=network.target
[Service]
Type=forking
PIDFile=/var/run/nginx.pid
ExecStartPre=/usr/sbin/nginx -t -q -g 'daemon on; master_process on;'
ExecStart=/usr/sbin/nginx -g 'daemon on; master_process on;'
ExecReload=/usr/sbin/nginx -g 'daemon on; master_process on;' -s reload
ExecStop=-/sbin/start-stop-daemon --quiet --stop --retry QUIT/5 --pidfile /var/run/nginx.pid
TimeoutStopSec=5
KillMode=mixed
LimitNOFILE=1048576
LimitNPROC=1048576
Restart=on-failure
RestartSec=10s
[Install]
WantedBy=multi-user.target
```

Tengine Conf

```
worker_processes 15;
worker_cpu_affinity auto 1111111111111110;
worker_rlimit_nofile 1048576;
user nginx;
error_log /var/log/nginx/error.log warn;
```

```
pid          /var/run/nginx.pid;
events {
worker_connections 1048576;
use          epoll;
multi_accept  on;
accept_mutex on;
}
#don't need stream conf
worker_shutdown_timeout 300;
http {
#access_log on;
gzip_clear_etag off;
vhost_traffic_status_zone shared:vhost_traffic_status:128m;
map_hash_max_size 20480;
map_hash_bucket_size 20480;
map $status $loggable {
    ~^[23] 0;
    default 1;
}
sendfile      on;
tcp_nopush    on;
tcp_nodelay   on;
client_header_timeout 1m;
client_body_timeout 1m;
client_header_buffer_size 2k;
client_body_buffer_size 512k;
client_max_body_size 500m;
large_client_header_buffers 8 16k;
send_timeout 30;
keepalive_timeout 60;
keepalive_requests 100000;
reset_timedout_connection on;
server_tokens off;
server_name_in_redirect off;
server_names_hash_max_size 1024;
server_names_hash_bucket_size 1024;
check_shm_size 2000m;
proxy_buffer_size 16k;
proxy_buffers 4 16k;
proxy_busy_buffers_size 16k;
proxy_next_upstream off;
```

```
more_clear_headers Server;
more_clear_headers server;
log_format secops 'default TENGINE Message 0 0 : "WEBLOG:~'
    '$time_local~'
    '$remote_addr~'
    '$http_x_client_ip~'
    '$http_True_Client_IP~'
    '$request_method~'
    '$upstream_http_X_Proxy_Cache~'
    '$uri~'
    '$query_string~'
    '$bytes_sent~'
    '$http_user_agent~'
    '$host~'
    '$server_port~'
    '$status~'
    '$http_referer'
    '';
log_format main 'default TENGINE Message 0 0 : "WEBLOG:~'
    '$time_local~'
    '$remote_addr~'
    '$http_x_client_ip~'
    '$http_True_Client_IP~'
    '$request_method~'
    '$upstream_http_X_Proxy_Cache~'
    '$uri~'
    '$query_string~'
    '$bytes_sent~'
    '$http_user_agent~'
    '$host~'
    '$server_port~'
    '$status~'
    '$http_referer~'
    '$upstream_addr~'
    '$upstream_status~'
    '$upstream_response_time~'
    '$request~'
    '$request_time';
access_log syslog:server=10.84.82.30:5555 main if=$loggable;
error_log syslog:server=10.84.82.30:5556 warn;
# Mime settings
```

Revision #1

Created 2022-11-09 12:09:44 UTC by Mesut Bayrak

Updated 2022-11-09 12:10:06 UTC by Mesut Bayrak